

1 / 22





FIG.1



2 / 22





FIG. 2



3 / 22





FIG. 3



4 / 22





FIG. 4



5 / 22





FIG. 5



6 / 22





FIG. 6



7 / 22





FIG. 7



8 / 22




FIG. 8

9 / 22




FIG. 9

10 / 22





FIG. 10




11 / 22



Amp ^r	Ampicillin Resistance Gene
(bGHpA) ²	Bovine Growth Hormone Polyadenylation Signal
ColEI	Escherichia coli Replication Origin
Mu-DHFR	DHFG Gene introduced thereinto Mutation
MU-NEO ^r	Neomycin Resistance Gene introduced thereinto Mutation
Pcmv	Human Cytomegalovirus Major Immediate-Early Antigen Promoter
PSV40DE	Attenuated SV40 Promoter (including SV40 Replication Origin)
SV40pA	SV40 Polyadenylation Signal
Transposon	Transposon Sequence

FIG. 11



12 / 22





FIG. 12



13 / 22





FIG. 13



14 / 22





FIG. 14



15 / 22





FIG. 15



16 / 22




FIG. 16



17 / 22





FIG. 17



18 / 22





FIG. 18



19 / 22





FIG. 19



20 / 22






FIG. 20




21 / 22


native
hMBP



rhMBP
(with Vitamin C)



rhMBP
(without Vitamin C)



Bovine Serum Albumin
(BSA)



1 μ g/ml 0.5 μ g/ml 1 μ g/ml
+ Mannose

Protein Concentration

FIG. 21





FIG. 22